

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

1 Identification


- **Product Identifier**
- **Trade Name: Artificial Urine for Corrosion Testing, Stabilized**
- **Product Number:** 1700-0016
- **Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
- **Product Description:** Artificial urine for corrosion testing of urological implants
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Pickering Laboratories, Inc.
1280 Space Park Way
Mountain View, CA 94043
Phone: (650) 694-6700
Fax: (650) 968-0749
www.pickeringlabs.com
support@pickeringlabs.com
- **Emergency telephone number:**
Clean Harbors Environmental Services
1-800-645-8265

* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None

* 3 Composition/Information on Ingredients

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

· Dangerous Components:		
CAS: 26172-55-4	Methyl Chloro Isothiazolinone ⚠ Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.05%
CAS: 12125-02-9 RTECS: BP 4550000	Ammonium Chloride ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2A, H319	<0.5%
CAS: 7487-88-9 RTECS: OM 4500000	Magnesium Sulphate ⚠ STOT SE 3, H335	<0.05%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

*** 4 First-Aid Measures**

· Description of first aid measures

· General information: If symptoms persist, call a physician.

· After inhalation: Not anticipated under normal use.

· After skin contact:

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

· After swallowing:

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomiting by touching finger to the back of the victims throat. Get medical assistance immediately.

· Information for doctor

· Most important symptoms and effects, both acute and delayed: No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

*** 5 Fire-Fighting Measures**

· Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: No further relevant information.

· Special hazards arising from the substance or mixture: No further relevant information available.

· Advice for firefighters

· Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

*** 6 Accidental Release Measures**

· Personal precautions, protective equipment and emergency procedures: Not required.

· Environmental precautions: Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

10035-04-8	Calcium chloride dihydrate	16 mg/m ³
12125-02-9	Ammonium Chloride	20 mg/m ³
7487-88-9	Magnesium Sulphate	20 mg/m ³
26172-55-4	Methyl Chloro Isothiazolinone	0.6 mg/m ³

- **PAC-2:**

10035-04-8	Calcium chloride dihydrate	170 mg/m ³
12125-02-9	Ammonium Chloride	54 mg/m ³
7487-88-9	Magnesium Sulphate	220 mg/m ³
26172-55-4	Methyl Chloro Isothiazolinone	6.6 mg/m ³

- **PAC-3:**

10035-04-8	Calcium chloride dihydrate	1,100 mg/m ³
12125-02-9	Ammonium Chloride	330 mg/m ³
7487-88-9	Magnesium Sulphate	1,300 mg/m ³
26172-55-4	Methyl Chloro Isothiazolinone	40 mg/m ³

*** 7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:**
Avoid contact with skin, eyes and clothing
Avoid breathing fumes.
Use personal protection equipment as outlined in section 8.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in dry conditions at a temperature range of 8°C - 25°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

*** 8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment**
- **General protective and hygienic measures:**
Use adequate exhaust ventilation to prevent inhalation of product vapors.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

Do not eat or drink while handling product.
 Immediately remove all soiled and contaminated clothing.
 The usual precautionary measures for handling chemicals should be followed.
 Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

· **Protection of hands:**



Protective gloves

· **Material of gloves:**

Rubber
 Latex or vinyl

· **Penetration time of glove material:** Not applicable.

· **Eye protection:**



Goggles recommended during refilling.

· **Body protection:** Lab coat

· **Limitation and supervision of exposure into the environment:** None

* **9 Physical and Chemical Properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value @ 20 °C (68 °F):	6.0 ± 0.10 (@25°C ± 0.4)

· **Change in condition**

· **Melting point/Melting range:** Not determined.

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure:** Not determined.

· **Density:** Not determined.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

- **Relative density:** Not determined.
- **Vapor density:** Not determined.
- **Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
- **Water:** Aqueous solution
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
- **Dynamic:** Not determined.
- **Kinematic:** Not determined.
- **Solvent content:**
- **VOC content:** 0.03 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

***11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No data available.
- **Primary irritant effect:**
- **On the skin:** Mild irritant effect.
- **On the eye:** Mild irritant effect.
- **Additional toxicological information:**
 The product is not subject to classification according to internally approved calculation methods for preparations.
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.
- **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer):
None of the ingredients are listed.
· NTP (National Toxicology Program):
None of the ingredients are listed.
· OSHA-Ca (Occupational Safety & Health Administration):
None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
 This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scrubber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

*** 14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

*** 15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
 No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

Section 355 (extremely hazardous substances):	None of the ingredients are listed.
Section 313 (Specific toxic chemical listings):	None of the ingredients are listed.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

· TSCA (Toxic Substances Control Act):		
7732-18-5	Water, distilled water, deionized water	ACTIVE
7647-14-5	Sodium Chloride	ACTIVE
7447-40-7	Potassium Chloride	ACTIVE
12125-02-9	Ammonium Chloride	ACTIVE
7487-88-9	Magnesium Sulphate	ACTIVE
7558-79-4	Sodium Phosphate, dibasic	ACTIVE
26172-55-4	Methyl Chloro Isothiazolinone	ACTIVE
· Hazardous Air Pollutants		
None of the ingredients are listed.		
· California Proposition 65:		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· New Jersey Right-to-Know List:		
12125-02-9	Ammonium Chloride	
7558-79-4	Sodium Phosphate, dibasic	
· New Jersey Special Hazardous Substance List:		
None of the ingredients are listed.		
· Pennsylvania Right-to-Know List:		
12125-02-9	Ammonium Chloride	
7558-79-4	Sodium Phosphate, dibasic	
· Pennsylvania Special Hazardous Substance List:		
12125-02-9	Ammonium Chloride	E
7558-79-4	Sodium Phosphate, dibasic	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
· TLV (Threshold Limit Value established by ACGIH):		
None of the ingredients are listed.		
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		
· GHS label elements Non-Regulated Material		
· Hazard pictograms: Non-Regulated Material		
· Signal word: Non-Regulated Material		
· Hazard statements: Non-Regulated Material		

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 06/08/2021

Reviewed on 06/08/2021

Trade Name: Artificial Urine for Corrosion Testing, Stabilized

· **National regulations:**

None of the ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Contact:**

· **Date of last revision/ revision number:** 06/08/2021 / 3

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Acute Tox. 3: Acute toxicity – Category 3
- Acute Tox. 4: Acute toxicity – Category 4
- Acute Tox. 2: Acute toxicity – Category 2
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
- Skin Sens. 1A: Skin sensitisation – Category 1A
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106