

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

1 Identification


- **Product Identifier**
- **Trade Name: Sodium Eluants for Amino Acids Analysis**
- **Product Number:** 1700-0112, 1700-0114, Na270, Na315, Na328, Na425, Na640, Na740
- **Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
- **Product Description:** Sodium eluants for amino acids analysis.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Pickering Laboratories, Inc.
1280 Space Park Way
Mountain View, CA 94043
Phone: (650) 694-6700
Fax: (650) 968-0749
www.pickeringlabs.com
support@pickeringlabs.com
- **Emergency telephone number:**
Clean Harbors Environmental Services
1-800-645-8265

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Hazard(s) not otherwise classified (HNOC):** None known

* 3 Composition/Information on Ingredients

- **Chemical characterization: Substance**
- **Description:** Mixture of substances listed below with non-hazardous additions.

(Contd. on page 2)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

Trade Name: Sodium Eluants for Amino Acids Analysis

· Dangerous Components:		
CAS: 126-33-0 RTECS: XN 0700000	Sulpholane ⚠ Acute Tox. 4, H302	2-10%
CAS: 127-09-3	Sodium Acetate ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2B, H320	<1%

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

· Description of first aid measures

· General information: If symptoms persist, call a physician.

· After inhalation: Not anticipated under normal use.

· After skin contact:

Seek medical treatment.

If skin irritation occurs, consult a doctor.

· After eye contact:

If eye irritation occurs, consult a doctor.

Rinse opened eye for several minutes under running water.

· After swallowing:

Rinse mouth with water, ensuring that the rinse water is not swallowed. Drink 2 glasses of water to dilute and induce vomiting by touching one finger to the back of the victim's throat. Seek medical attention.

· Information for doctor

· Most important symptoms and effects, both acute and delayed: No further relevant information available.

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

· Extinguishing media

· Suitable extinguishing agents: Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents: No further relevant information.

· Special hazards arising from the substance or mixture: No further relevant information available.

· Advice for firefighters

· Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures: Not required.

· Environmental precautions: Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

Trade Name: Sodium Eluants for Amino Acids Analysis

· Protective Action Criteria for Chemicals

· PAC-1:		
126-33-0	Sulpholane	4.1 mg/m ³
127-09-3	Sodium Acetate	11 mg/m ³
108-95-2	Phenol	15 ppm
26172-55-4	Methyl Chloro Isothiazolinone	0.6 mg/m ³
· PAC-2:		
126-33-0	Sulpholane	45 mg/m ³
127-09-3	Sodium Acetate	120 mg/m ³
108-95-2	Phenol	23 ppm
26172-55-4	Methyl Chloro Isothiazolinone	6.6 mg/m ³
· PAC-3:		
126-33-0	Sulpholane	400 mg/m ³
127-09-3	Sodium Acetate	700 mg/m ³
108-95-2	Phenol	200 ppm
26172-55-4	Methyl Chloro Isothiazolinone	40 mg/m ³

7 Handling and Storage

· Handling

· Precautions for safe handling:

Avoid contact with skin, eyes and clothing
Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· Storage

· Requirements to be met by storerooms and receptacles:

Store in dry conditions at a temperature range of 8°C - 25°C.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** None.

· **Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

· **Additional information about design of technical systems:** No further data; see section 7.

· Control parameters:

· Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls:

· Personal protective equipment

· General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

Trade Name: Sodium Eluants for Amino Acids Analysis

- **Breathing equipment:**
Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.
- **Protection of hands:** Not required.
- **Material of gloves:** Latex or vinyl
- **Penetration time of glove material:** Not applicable.
- **Eye protection:**



Goggles recommended during refilling.

- **Body protection:** Lab coat
- **Limitation and supervision of exposure into the environment:** None

9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Liquid
- **Color:** Colorless
- **Odor:** Odorless
- **Odor threshold:** Not determined.

· **pH-value @ 20 °C (68 °F):** 5

· **Change in condition**

· **Melting point/Melting range:** Not determined.

· **Flash point:** None

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure @ 20 °C (68 °F):** ≤23 hPa (≤17.3 mm Hg)

· **Density @ 20 °C (68 °F):** 1.0918 g/cm³ (9.1111 lbs/gal)

· **Relative density:** Not determined.

· **Vapor density:** Not determined.

· **Evaporation rate:** Not determined.

· **Solubility in / Miscibility with:**

· **Water:** Aqueous solution

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

Trade Name: Sodium Eluants for Amino Acids Analysis

- Kinematic:** Not determined.
- **Solvent content:**
 - Organic solvents:** 0.1 %
 - VOC content:** 0.08 %
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:**
Keep away from strong acids. Primary and secondary amines will cause non-hazardous contamination of this solution.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

LD/LC50 values that are relevant for classification:		
126-33-0 Sulpholane		
Oral	LD50	1,941 mg/kg (Rat)
Dermal	LD50	4,009 mg/kg (Rabbit)

- **Primary irritant effect:**
- **On the skin:** Mild irritant effect.
- **On the eye:** Mild irritant effect.
- **Additional toxicological information:**
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
 Group 1 - Carcinogenic to humans
 Group 2A - Probably carcinogenic to humans
 Group 2B - Possibly carcinogenic to humans
 Group 3 - Not classifiable as to its carcinogenicity to humans
 Group 4 - Probably not carcinogenic to humans

108-95-2	Phenol	3
----------	--------	---

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

Trade Name: Sodium Eluants for Amino Acids Analysis

126-33-0	Sulpholane	ACTIVE
127-09-3	Sodium Acetate	ACTIVE
108-95-2	Phenol	ACTIVE
26172-55-4	Methyl Chloro Isothiazolinone	ACTIVE
· Hazardous Air Pollutants		
108-95-2	Phenol	
· California Proposition 65:		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· New Jersey Right-to-Know List:		
108-95-2	Phenol	
· New Jersey Special Hazardous Substance List:		
108-95-2	Phenol	MU, F2
· Pennsylvania Right-to-Know List:		
126-33-0	Sulpholane	
108-95-2	Phenol	
· Pennsylvania Special Hazardous Substance List:		
108-95-2	Phenol	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
108-95-2	Phenol	D, I
· TLV (Threshold Limit Value established by ACGIH):		
108-95-2	Phenol	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		
· GHS label elements Non-Regulated Material		
· Hazard pictograms: Non-Regulated Material		
· Signal word: Non-Regulated Material		
· Hazard statements: Non-Regulated Material		
· National regulations:		
None of the ingredients are listed.		
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2012 and GHS Rev 03.

Issue date 03/10/2021

Reviewed on 03/10/2021

Trade Name: Sodium Eluants for Amino Acids Analysis

· **Contact:**

· **Date of last revision/ revision number:** 03/10/2021 / 8

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety & Health Administration
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106