

# Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

## 1 Identification

- **Product Identifier**
- **Trade Name: Substitute Ocean Water ASTM D1141-98**
- **Other means of identification**
- **Product Number:** 1700-0801, 1700-0807
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information available.
- **Product Description:** Substitute Ocean Water ASTM D1141-98
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Pickering Laboratories, Inc.  
1280 Space Park Way  
Mountain View, CA 94043  
Phone: (650) 694-6700  
Fax: (650) 968-0749  
www.pickeringlabs.com  
support@pickeringlabs.com
- **Emergency telephone number:**  
Clean Harbors Environmental Services  
1-800-645-8265

## \* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**  
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
0 % of the mixture consists of component(s) of unknown toxicity.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None
- **Classification according to (d)(1)(ii) of § 1910.1200**  
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 2)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

\* **3 Composition/Information on Ingredients**

· **Non-hazardous components:**

CAS: 7732-18-5	Water, distilled water, deionized water	≥85%
CAS: 7647-14-5 RTECS: VZ4725000	Sodium chloride	≤5.0%
CAS: 7786-30-3	Magnesium Chloride	≤1.0%
CAS: 7757-82-6	Sodium Sulphate	≤0.5%
CAS: 7447-40-7	Potassium chloride	<0.1%
CAS: 144-55-8	Sodium Bicarbonate	<0.1%
CAS: 10476-85-4	Strontium chloride	<0.01%

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:**

CAS: 10043-52-4 RTECS: EV 9800000	Calcium chloride ⚠ Eye irritation 2A, H319	<0.5%
CAS: 7758-02-3	Potassium Bromide ⚠ Eye irritation 2A, H319	<0.1%
CAS: 10043-35-3 RTECS: ED 4550000	boric acid ⚠ Reproductive toxicity 1B, H360	<0.01%
CAS: 7681-49-4	Sodium fluoride ⚠ Acute toxicity - oral 3, H301; ⚠ Skin irritation 2, H315; ⚠ Eye irritation 2A, H319	<0.001%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

\* **4 First-Aid Measures**

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:** Not anticipated under normal use.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention.

· **After swallowing:**

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomiting by touching finger to the back of the victims throat. Get medical assistance immediately.

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

(Contd. on page 3)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

\* **5 Fire-Fighting Measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents:** No further relevant information.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters**
- **Special protective equipment for firefighters:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

\* **6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the collected material according to regulations.

<b>· PAC-1:</b>		
7786-30-3	Magnesium Chloride	11 mg/m <sup>3</sup>
7757-82-6	Sodium Sulphate	9.8 mg/m <sup>3</sup>
10043-52-4	Calcium chloride	12 mg/m <sup>3</sup>
144-55-8	Sodium Bicarbonate	13 mg/m <sup>3</sup>
7758-02-3	Potassium Bromide	9.2 mg/m <sup>3</sup>
10043-35-3	boric acid	6 mg/m <sup>3</sup>
10476-85-4	Strontium chloride	8 mg/m <sup>3</sup>
7681-49-4	Sodium fluoride	0.34 mg/m <sup>3</sup>
<b>· PAC-2:</b>		
7786-30-3	Magnesium Chloride	120 mg/m <sup>3</sup>
7757-82-6	Sodium Sulphate	110 mg/m <sup>3</sup>
10043-52-4	Calcium chloride	33 mg/m <sup>3</sup>
144-55-8	Sodium Bicarbonate	140 mg/m <sup>3</sup>
7758-02-3	Potassium Bromide	100 mg/m <sup>3</sup>
10043-35-3	boric acid	23 mg/m <sup>3</sup>
10476-85-4	Strontium chloride	88 mg/m <sup>3</sup>
7681-49-4	Sodium fluoride	3.8 mg/m <sup>3</sup>
<b>· PAC-3:</b>		
7786-30-3	Magnesium Chloride	550 mg/m <sup>3</sup>
7757-82-6	Sodium Sulphate	650 mg/m <sup>3</sup>
10043-52-4	Calcium chloride	200 mg/m <sup>3</sup>
144-55-8	Sodium Bicarbonate	840 mg/m <sup>3</sup>
7758-02-3	Potassium Bromide	610 mg/m <sup>3</sup>
10043-35-3	boric acid	830 mg/m <sup>3</sup>
10476-85-4	Strontium chloride	360 mg/m <sup>3</sup>
7681-49-4	Sodium fluoride	44 mg/m <sup>3</sup>

(Contd. on page 4)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

· **Reference to other sections:**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### \* 7 Handling and Storage

· **Precautions for safe handling:**

- Avoid contact with skin, eyes and clothing
- Avoid breathing fumes.
- Use personal protection equipment as outlined in section 8.
- Ensure good ventilation/exhaustion at the workplace.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

- **Requirements to be met by storerooms and receptacles:** Store refrigerated
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

### \* 8 Exposure Controls/Personal Protection

· **Control parameters:**

· **Components with occupational exposure limits:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Appropriate engineering controls** No further data; see section 7.

· **Personal protective equipment**

· **General protective and hygienic measures:**

- Use adequate exhaust ventilation to prevent inhalation of product vapors.
- Do not eat or drink while handling product.
- Togliere immediatamente tutti gli indumenti sporchi o contaminati.
- The usual precautionary measures for handling chemicals should be followed.
- Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

· **Protection of hands:**



Protective gloves

· **Material of gloves:** Latex or vinyl

· **Penetration time of glove material:** Not applicable.

· **Eye protection:**



Goggles recommended during refilling.

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

- **Body protection:** Lab coat
- **Limitation and supervision of exposure into the environment:** None

\* **9 Physical and Chemical Properties**

· **Information on basic physical and chemical properties**

· **General Information**

- |  |   |
|--|---|
| · <b>Physical state</b>  | Liquid  |
| · <b>Color:</b>  | Colorless                                     |
| · <b>Odor:</b>   | Odorless                                      |
| · <b>Odor threshold:</b>   | Not determined.                               |
| · <b>Melting point/Melting range:</b>  | Not determined.                               |
| · <b>Boiling point/Boiling range:</b>  | ≥100 °C (≥212 °F)                             |
| · <b>Flammability:</b>   | Not applicable.                               |
| · <b>Explosion limits:</b>   |   |
| · <b>Lower:</b>  | Not determined.                               |
| · <b>Upper:</b>  | Not determined.                               |
| · <b>Flash point:</b>  | None  |
| · <b>Auto igniting:</b>  | Not applicable                                |
| · <b>Decomposition temperature:</b>  | Not determined.                               |
| · <b>pH-value:</b>   | 8.2   |
| · <b>Viscosity:</b>  |   |
| · <b>Kinematic:</b>  | Not determined.                               |
| · <b>Dynamic:</b>  | Not determined.                               |
| · <b>Solubility in / Miscibility with:</b>   |   |
| · <b>Water:</b>  | Aqueous solution                              |
| · <b>Partition coefficient (n-octanol/water):</b>                                      | Not determined.                               |
| · <b>Vapor pressure @ 20 °C (68 °F):</b>   | ≤23 hPa (≤17.3 mm Hg)                         |
| · <b>Vapor pressure:</b>   |   |
| · <b>Density @ 20 °C (68 °F):</b>  | 2.0156 g/cm <sup>3</sup> (16.8202 lbs/gal)    |
| · <b>Relative density:</b>   | Not determined.                               |
| · <b>Vapor density:</b>  | Not determined.                               |
| · <b>Particle characteristics</b>  | Not applicable.                               |
| · <b>Other information:</b>  |   |
| · <b>Appearance:</b>   |   |
| · <b>Form:</b>   | Liquid  |
| · <b>Important information on protection of health and environment, and on safety.</b> |   |
| · <b>Ignition temperature:</b>   | Product is not self-igniting.                 |
| · <b>Danger of explosion:</b>  | Product does not present an explosion hazard. |
| · <b>Solvent content:</b>  |   |
| · <b>Water:</b>  | 96.3 %  |
| · <b>VOC content:</b>  | 0.00 %  |
| · <b>Solids content:</b>   | 3.7 %   |
| · <b>Change in condition</b>   |   |
| · <b>Evaporation rate:</b>   | Not determined.                               |

**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.

(Contd. on page 6)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### \* 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** No data available.
- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** No irritating effect.
- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories:**

· **IARC (International Agency for Research on Cancer):**

7681-49-4	Sodium fluoride	3
-----------	-----------------	---

· **NTP (National Toxicology Program):**

None of the ingredients are listed.

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

· **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

### \* 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.

### \* 13 Disposal Considerations

· **Waste treatment methods**

· **Recommendation:**

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scrubber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

· **Uncleaned packaging**

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 7)

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

### 14 Transport Information

- **UN-Number:** Non-Regulated Material
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:** Non-Regulated Material
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Special precautions for user:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

### \*15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**  
No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

<b>Section 355 (extremely hazardous substances):</b>	None of the ingredients are listed.	
<b>Section 313 (Specific toxic chemical listings):</b>	None of the ingredients are listed.	
<b>TSCA (Toxic Substances Control Act):</b>	All components have the value ACTIVE.	
<b>Hazardous Air Pollutants</b>	None of the ingredients are listed.	
<b>California Proposition 65:</b>		
<b>Chemicals known to cause cancer:</b>	None of the ingredients are listed.	
<b>Chemicals known to cause reproductive toxicity for females:</b>	None of the ingredients are listed.	
<b>Chemicals known to cause reproductive toxicity for males:</b>	None of the ingredients are listed.	
<b>Chemicals known to cause developmental toxicity:</b>	None of the ingredients are listed.	
<b>New Jersey Right-to-Know List:</b>		
7681-49-4	Sodium fluoride	
<b>New Jersey Special Hazardous Substance List:</b>		
7681-49-4	Sodium fluoride	TE
<b>Pennsylvania Right-to-Know List:</b>		
7757-82-6	Sodium Sulphate	

## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

7681-49-4	Sodium fluoride		
<b>· Pennsylvania Special Hazardous Substance List:</b>			
7757-82-6	Sodium Sulphate		E
7681-49-4	Sodium fluoride		E
<b>· Carcinogenic categories:</b>			
<b>· EPA (Environmental Protection Agency):</b>			
10043-35-3	boric acid		I (oral)
<b>· TLV (Threshold Limit Value established by ACGIH):</b>			
10043-35-3	boric acid		A4
7681-49-4	Sodium fluoride		A4
<b>· NIOSH-Ca (National Institute for Occupational Safety and Health):</b>			
None of the ingredients are listed.			
<b>· GHS label elements</b> Non-Regulated Material			
<b>· Hazard pictograms:</b> Non-Regulated Material			
<b>· Signal word:</b> Non-Regulated Material			
<b>· Hazard statements:</b> Non-Regulated Material			
<b>· National regulations:</b>			
The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.			
<b>· Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.			

**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of previous version** 08/11/2020
- **Version number of previous version:** 4
- **Date of preparation** 06/11/2025
- **Abbreviations and acronyms:**  
 ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety and Health  
 OSHA: Occupational Safety & Health Administration  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 Acute toxicity - oral 3: Acute toxicity – Category 3  
 Skin irritation 2: Skin corrosion/irritation – Category 2



## Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 06/11/2025

Revised on 06/11/2025

**Trade Name: Substitute Ocean Water ASTM D1141-98**

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Reproductive toxicity 1B: Reproductive toxicity – Category 1B

· **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106