

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

* 1 Identification

- **Product Identifier**
- **Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563**
- **Other means of identification**
- **Product Number:** K563
- **Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
- **Product Description:** Potassium Eluant for Biogenic Amines Analysis
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Pickering Laboratories, Inc.
1280 Space Park Way
Mountain View, CA 94043
Phone: (650) 694-6700
Fax: (650) 968-0749
www.pickeringlabs.com
support@pickeringlabs.com
- **Emergency telephone number:**
Clean Harbors Environmental Services
1-800-645-8265

* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**
The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- **Label elements:**
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Non-Regulated Material
- **Hazard statements:** Non-Regulated Material
- **Unknown acute toxicity:**
This value refers to knowledge of known, established toxicological or ecotoxicological values.
0 % of the mixture consists of component(s) of unknown toxicity.
- **Information pertaining to particular dangers for man and environment:**
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Physical Hazard = 0

- **Hazard(s) not otherwise classified (HNOC):** None
- **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

* **3 Composition/Information on Ingredients**

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:**

CAS: 67-63-0 RTECS: NT 8050000	Isopropanol ⚠ Flammable liquids 2, H225; ⚠ Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H336	2-12%
CAS: 64-19-7 RTECS: AF 1225000	Acetic Acid ⚠ Flammable liquids 3, H226; ⚠ Skin corrosion 1A, H314; Eye damage 1, H318; ⚠ Acute toxicity - dermal 4, H312; Acute toxicity - inhalation 4, H332 Specific concentration limits: Skin Corrosion 1A; H314: C ≥ 90 % Skin Corrosion 1B; H314: 25 % ≤ C < 90 % Skin Irritation 2; H315: 10 % ≤ C < 25 % Eye Irritation 2; H319: 10 % ≤ C < 25 %	<0.5%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* **4 First-Aid Measures**

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:** Not anticipated under normal use.

· **After skin contact:**

Generally, the product does not irritate the skin.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

· **After swallowing:**

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomiting by touching finger to the back of the victims throat. Get medical assistance immediately.

If swallowed and symptoms occur, consult a doctor.

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

* **5 Fire-Fighting Measures**

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** No further relevant information.

· **Special hazards arising from the substance or mixture:** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

- **Advice for firefighters**
- **Special protective equipment for firefighters:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Dispose of the collected material according to regulations.

· **PAC-1:**

67-63-0	Isopropanol	400 ppm
7758-11-4	Dipotassium phosphate, dibasic	13 mg/m ³
64-19-7	Acetic Acid	5 ppm

· **PAC-2:**

67-63-0	Isopropanol	2000* ppm
7758-11-4	Dipotassium phosphate, dibasic	140 mg/m ³
64-19-7	Acetic Acid	35 ppm

· **PAC-3:**

67-63-0	Isopropanol	12000** ppm
7758-11-4	Dipotassium phosphate, dibasic	830 mg/m ³
64-19-7	Acetic Acid	250 ppm

- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Precautions for safe handling:**
Avoid contact with skin, eyes and clothing
Avoid breathing fumes.
Use personal protection equipment as outlined in section 8.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in dry conditions at a temperature range of 8°C - 25°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s):** No further relevant information available.

* 8 Exposure Controls/Personal Protection

- **Control parameters:**
- **Components with occupational exposure limits:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

At this time, the remaining constituents have no known exposure limits.

67-63-0 Isopropanol	
PEL	Long-term value: 980 mg/m ³ , 400 ppm
REL	Short-term value: 1225 mg/m ³ , 500 ppm Long-term value: 980 mg/m ³ , 400 ppm
TLV	Short-term value: 984 mg/m ³ , 400 ppm Long-term value: 491 mg/m ³ , 200 ppm BEI, A4

Ingredients with biological limit values:

67-63-0 Isopropanol	
BEI	40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific)

Additional information: The lists that were valid during the creation of this SDS were used as basis.

Exposure controls:

Appropriate engineering controls No further data; see section 7.

Personal protective equipment

General protective and hygienic measures:

Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

Material of gloves: Latex or vinyl

Penetration time of glove material: Not applicable.

Eye protection:



Goggles recommended during refilling.

Body protection: Lab coat

Limitation and supervision of exposure into the environment: None

*** 9 Physical and Chemical Properties**

Information on basic physical and chemical properties

General Information

Physical state

Liquid

Color:

Colorless

Odor:

Odorless

Odor threshold:

Not determined.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

· Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	≥100 °C (≥212 °F)
· Flammability:	Not applicable.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	None
· Auto igniting:	Not applicable
· Decomposition temperature:	Not determined.
· pH-value @ 20 °C (68 °F):	5.63 (+/-0.1)
· Viscosity:	
· Kinematic:	Not determined.
· Dynamic:	Not determined.
· Solubility in / Miscibility with:	
· Water:	Aqueous solution
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure:	Not determined.
· Vapor pressure:	
· Density @ 20 °C (68 °F):	1.0405 g/cm ³ (8.683 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
· Particle characteristics	Not applicable.
· Other information:	
· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Solvent content:	
· Organic solvents:	4.3 %
· VOC content:	4.30 %
· Change in condition	
· Evaporation rate:	Not determined.

*** 10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** Avoid strong oxidizers, acids and alkalis.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

*** 11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
67-63-0 Isopropanol		
Oral	LD50	5,045 mg/kg (Rat)

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

Dermal	LD50	12,800 mg/kg (rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)
	LC50/96 hours	9,640 mg/l (Pimephales)

- **Primary irritant effect:**
- **On the skin:** Mild irritant effect.
- **On the eye:** Mild irritant effect.
- **Additional toxicological information:**
- **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories:**

· IARC (International Agency for Research on Cancer):		
67-63-0	Isopropanol	3

· **NTP (National Toxicology Program):**

None of the ingredients are listed.		
-------------------------------------	--	--

· **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.		
-------------------------------------	--	--

· **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

12 Ecological Information

· **Toxicity:**

· Aquatic toxicity:		
67-63-0 Isopropanol		
EC50	6,851 mg/l (Green algae)	
	5,102 mg/l (Water flea)	

- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

13 Disposal Considerations

- **Waste treatment methods**
- **Recommendation:**
 Do not allow product to reach sewage system.
 This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scrubber. This product can also be sent to an EPA approved waste disposal facility.
 Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packaging**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:**
 - DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material
- **UN proper shipping name:**
 - DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material
- **Transport hazard class(es):**
 - DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material
 - **Class:** Non-Regulated Material
- **Packing group:**
 - DOT, ADR/ADN, IMDG, IATA Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **Special precautions for user:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
 No further relevant information available.
- **SARA (Superfund Amendments and Reauthorization):**

Section 355 (extremely hazardous substances):	None of the ingredients are listed.
--	-------------------------------------

Section 313 (Specific toxic chemical listings):	67-63-0 Isopropanol
--	---------------------

TSCA (Toxic Substances Control Act):	All components have the value ACTIVE.
---	---------------------------------------

Hazardous Air Pollutants	None of the ingredients are listed.
---------------------------------	-------------------------------------

California Proposition 65:	
-----------------------------------	--

Chemicals known to cause cancer:	None of the ingredients are listed.
---	-------------------------------------

Chemicals known to cause reproductive toxicity for females:	None of the ingredients are listed.
--	-------------------------------------

Chemicals known to cause reproductive toxicity for males:	None of the ingredients are listed.
--	-------------------------------------

Chemicals known to cause developmental toxicity:	None of the ingredients are listed.
---	-------------------------------------

New Jersey Right-to-Know List:	
---------------------------------------	--

67-63-0	Isopropanol	
64-19-7	Acetic Acid	

New Jersey Special Hazardous Substance List:		
67-63-0	Isopropanol	F3
64-19-7	Acetic Acid	CO, F2

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

· Pennsylvania Right-to-Know List:		
67-63-0	Isopropanol	
64-19-7	Acetic Acid	
· Pennsylvania Special Hazardous Substance List:		
67-63-0	Isopropanol	E
64-19-7	Acetic Acid	E
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
· TLV (Threshold Limit Value established by ACGIH):		
67-63-0	Isopropanol	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		
· GHS label elements Non-Regulated Material		
· Hazard pictograms: Non-Regulated Material		
· Signal word: Non-Regulated Material		
· Hazard statements: Non-Regulated Material		
· National regulations:		
The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.		
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.		

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- **Date of previous version** 02/15/2021
- **Version number of previous version:** 7
- **Date of preparation** 05/12/2025
- **Abbreviations and acronyms:**
 ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 VOC: Volatile Organic Compounds (USA, EU)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
 NIOSH: National Institute for Occupational Safety and Health
 OSHA: Occupational Safety & Health Administration
 TLV: Threshold Limit Value
 PEL: Permissible Exposure Limit
 REL: Recommended Exposure Limit
 BEL: Biological Exposure Limit

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/12/2025

Revised on 05/12/2025

Trade Name: Potassium Eluant for Biogenic Amines Analysis - K563

Flammable liquids 2: Flammable liquids – Category 2

Flammable liquids 3: Flammable liquids – Category 3

Acute toxicity - dermal 4: Acute toxicity – Category 4

Skin corrosion 1A: Skin corrosion/irritation – Category 1A

Eye damage 1: Serious eye damage/eye irritation – Category 1

Eye irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106