



Certificate of Analysis

Product Artificial Eccrine Perspiration - Not Stabilized
Part Number 1700-0022
Volume 200 mL
Lot Number 2411020
Production Date 13 Nov 2024
Expiration Date 13 Nov 2025
Storage Conditions Frozen at - 20°C

Acceptance Criteria

1. Appearance: PASS
2. pH = 4.5 ± 0.1 @ 25 ± 0.4°C : PASS
3. Appropriate peaks verified by HPLC with post-column derivitization: PASS

Amino Acids

L-Alanine	L-Citrulline	L-Isoleucine	L-Ornithine	L-Threonine
L-Arginine	L-Glutamic acid	L-Leucine	L-Phenylalanine	L-Tyrosine
L-Asparagine	L-Glycine	L-Lysine	L-Serine	L-Valine
L-Aspartic acid	L-Histidine	L-Methionine	L-Taurine	

4. Other components gravimetrically-certified: PASS

Metabolites

Ammonia	Lactic Acid	Urea	Uric Acid
---------	-------------	------	-----------

Minerals

Calcium	Copper	Magnesium	Potassium	Sulfate
Chloride	Iron	Nitrate	Sodium	Zinc

*All product components are weighed on NIST-traceable scales and measured in Class A volumetric glassware

Analysis Certified By: David Mazawa

Date: 15 Nov 2024

The product is manufactured, packaged, stored and shipped according to manufacturing standard best practices and under modern sanitary conditions.



CERTIFIED