

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Reviewed on 06/25/2015

	ntifi		
101=			
		0.0.0	

- · Product identifier
- · Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011
- · Product number: 1700-0521, 1700-0529
- · Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- · Product description Artificial Perspiration according to DIN 53160-2:2010-10/BS EN 1811:2011
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Pickering Laboratories, Inc. 1280 Space Park Way Mountain View, CA 94043 Phone: (650) 694-6700 Fax: (650) 968-0749 www.pickeringlabs.com support@pickeringlabs.com Emergency telephone number:
- Clean Harbors Environmental Services 1-800-645-8265

2 Hazard(s) identification

- Classification of the substance or mixture The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.
- · Label elements
- · GHS label elements Non-Regulated Material
- · Hazard pictograms Non-Regulated Material
- · Signal word Non-Regulated Material
- · Hazard statements Non-Regulated Material
- · Classification system:
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
	Fire = 0
REACTIVITY 0	Reactivity = 0

· Hazard(s) not otherwise classified (HNOC): None

*	3 Composition/information on ingredients			
	CAS: 7732-18-5	Water, distilled water, deionized water	98-99%	
ľ	CAS: 7647-14-5	Sodium Chloride	≤1.0%	
	CAS: 57-13-6 RTECS: YR 6250000	Urea	≤0.5%	

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011

 Dangerous Components: CAS: 50-21-5 ≤ 0.5% Lactic Acid Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335. RTECS: OD 2800000 4 First-aid measures Description of first aid measures • After inhalation: Not anticipated under normal use. · After skin contact: Immediately wash with water and soap and rinse thoroughly. • After eye contact: Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. After swallowing: Rinse out mouth and then drink plenty of water. If swallowed and symptoms occur, consult a doctor. Information for doctor: • Most important symptoms and effects, both acute and delayed: No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Fire-fighting measures • Extinguishing media • Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. • Special hazards arising from the substance or mixture No further relevant information available. · Advice for firefighters · Protective equipment: As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. 6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage · Handling: Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin, eyes and clothing Avoid breathing fumes. Use personal protection equipment as outlined in section 8.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Reviewed on 06/25/2015

Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store frozen
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection
- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Use adequate exhaust ventilation to prevent inhalation of product vapors.

Do not eat or drink while handling product.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Breathing equipment:

Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.

Protection of hands:



Protective gloves

- · *Material of gloves* Rubber, latex or vinyl.
- Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

Eye protection:



Tightly sealed goggles

· Body protection: Lab coat

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance: Form: Color:
- · Odor:

Liquid Colorless Odorless



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Reviewed on 06/25/2015

Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011

· Odor threshold:	Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Not determined. Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
• Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not determined.
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined.
 Solubility in / Miscibility with Water: 	Aqueous solution
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: Other information 	Not determined. Not determined. No further relevant information available.

10 Stability and reactivity

· *Reactivity* No further relevant information available.

- · Chemical stability Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritating effect.
- on the eye: No irritating effect.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Reviewed on 06/25/2015

Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- *IARC (International Agency for Research on Cancer)* Substance is not listed.

None of the ingredients are listed.

• NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

2 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB**: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation:

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an after burner and scruber. This product can also be sent to an EPA approved waste disposal facility. Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADN, IMDG, IATA
- · ADR
- · UN proper shipping name
- · DOT, ADR, ADN, IMDG, IATA
- Transport hazard class(es)
- · DOT, ADR, ADN, IMDG, IATA
- · Class

Non-Regulated Material Non-Regulated Material Not Regulated

Non-Regulated Material

Non-Regulated Material



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Reviewed on 06/25/2015

Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011

 Packing group DOT, ADR, IMDG, IA Environmental haza Special precautions Transport in bulk ac MARPOL73/78 and ta UN "Model Regulation 	rds: for user cording to Annex II o he IBC Code	Non-Regulated Material Not applicable. Not applicable. of Not applicable.
15 Regulatory inform		
 Safety, health and ei Sara 	nvironmental regulat	tions/legislation specific for the substance or mixture
· Section 355 (extreme	ely hazardous subst	tances):
None of the ingredient	ts are listed.	
· Section 313 (Specified	c toxic chemical listi	ings):
None of the ingredient	ts are listed.	
· TSCA (Toxic Substa	nces Control Act):	
All ingredients are liste	ed.	
· California Propositio		
· Chemicals known to		
None of the ingredient	ts are listed.	
· Chemicals known to		toxicity for females:
None of the ingredient	ts are listed.	
· Chemicals known to	•	toxicity for males:
None of the ingredient	ts are listed.	
· Chemicals known to	-	tal toxicity:
None of the ingredient	ts are listed.	
· Carcinogenic catego	ories	
· EPA (Environmental	Protection Agency)	1
57-13-6 Urea		
• TLV (Threshold Limi	it Value established l	by ACGIH)
None of the ingredient	ts are listed.	
· NIOSH-Ca (National	Institute for Occupa	tional Safety and Health)
None of the ingredient	ts are listed.	
GHS label elements Hazard pictograms N Signal word Non-Reg Hazard statements N	Non-Regulated Materia gulated Material	ial
· National regulations		
The product is subject substances.	ct to be classified ac	cording with the latest version of the regulations on hazardous
· State Right to Know		
CAS: 7647-14-5	Sodium Chloride	≤ 1.0%
		(Contd. on page 7



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/25/2015

Reviewed on 06/25/2015

Trade name: Artificial Perspiration, DIN 53160-2:2010/BS EN 1811:2011

CAS: 57-13-6 RTECS: YR 6250000	Urea	≤ 0.5%
CAS: 50-21-5 RTECS: OD 2800000	Lactic Acid ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≤ 0.5%
CAS: 7732-18-5	Water, distilled water, deionized water	98-99%
All ingredients are listed.		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision 06/25/2015 / 8

• Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

* * Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-8

+1-877-204-9106