

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

1 Identification

- **Product Identifier**
- **Trade Name: SERAPREP**
- **Other means of identification**
- **Product Number:** SP100
- **Relevant identified uses of the substance or mixture and uses advised against:**
No further relevant information available.
- **Product Description:** Solution for sample preparation of native samples for amino acids analysis.
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Pickering Laboratories, Inc.
1280 Space Park Way
Mountain View, CA 94043
Phone: (650) 694-6700
Fax: (650) 968-0749
www.pickeringlabs.com
support@pickeringlabs.com
- **Emergency telephone number:**
Clean Harbors Environmental Services
1-800-645-8265

* 2 Hazard(s) Identification

- **Classification of the substance or mixture:**



Skin irritation 2 H315 Causes skin irritation.
Eye irritation 2A H319 Causes serious eye irritation.

- **Label elements:**
- **Hazard pictograms:**



- **Signal word:** Warning
- **Hazard-determining components of labeling:**
5-Sulfosalicylic Acid
- **Hazard statements:**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements:**

P264	Wash thoroughly after handling.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	If on skin: Wash with plenty of water.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P337+P313	If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

· **Unknown acute toxicity:**

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.


· **Information pertaining to particular dangers for man and environment:**

· **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Hazard(s) not otherwise classified (HNOC):** None known

· **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

· **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/Information on Ingredients

· **Chemical characterization: Substance**

· **Description:**

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· **Dangerous Components:**

CAS: 5965-83-3	5-Sulfosalicylic Acid ⚠ Eye damage 1, H318; ⚠ Acute toxicity - oral 4, H302; Skin irritation 2, H315; Specific target organ toxicity (single exposure) 3, H335	2-12%
CAS: 7447-41-8 RTECS: OJ 5950000	Lithium Chloride ⚠ Acute toxicity - oral 4, H302; Skin irritation 2, H315; Eye irritation 2A, H319	≤2.5%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

* 4 First-Aid Measures

· **Description of first aid measures**

· **General information:** If symptoms persist, call a physician.

· **After inhalation:**

Not anticipated under normal use.

In case of unconsciousness place patient stably in the side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· **After eye contact:**

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

If easy to do so, remove contact lenses if worn.

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

If eye irritation occurs, consult a doctor.

· **After swallowing:**

Rinse mouth with water ensuring that rinse is not swallowed. Drink 2 glasses of water to dilute and induce vomiting by touching finger to the back of the victims throat. Get medical assistance immediately.

If swallowed and symptoms occur, consult a doctor.

· **Most important symptoms and effects, both acute and delayed:** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **For safety reasons unsuitable extinguishing agents:** No further relevant information.

· **Special hazards arising from the substance or mixture:** No further relevant information available.

· **Advice for firefighters**

· **Special protective equipment for firefighters:**

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

* 6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures:** Not required.

· **Environmental precautions:** Dilute with plenty of water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

· **PAC-1:**

5965-83-3	5-Sulfosalicylic Acid	12 mg/m ³
7447-41-8	Lithium Chloride	2.3 mg/m ³
1310-65-2	Lithium hydroxide	0.091 mg/m ³

· **PAC-2:**

5965-83-3	5-Sulfosalicylic Acid	130 mg/m ³
7447-41-8	Lithium Chloride	17 mg/m ³
1310-65-2	Lithium hydroxide	1 mg/m ³

· **PAC-3:**

5965-83-3	5-Sulfosalicylic Acid	790 mg/m ³
7447-41-8	Lithium Chloride	100 mg/m ³
1310-65-2	Lithium hydroxide	42 mg/m ³

· **Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· **Precautions for safe handling:**

Avoid contact with skin, eyes and clothing

Avoid breathing fumes.

Use personal protection equipment as outlined in section 8.

(Contd. on page 4)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
Store in dry conditions at a temperature range of 8°C - 25°C.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

* 8 Exposure Controls/Personal Protection

- **Control parameters:**
- **Components with occupational exposure limits:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment**
- **General protective and hygienic measures:**
Use adequate exhaust ventilation to prevent inhalation of product vapors.
Do not eat or drink while handling product.
Immediately remove all soiled and contaminated clothing.
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Breathing equipment:**
Respiratory protection is not required unless handling of the material produces nuisance airborne concentrations.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- **Material of gloves:**
Latex or vinyl
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material:**
The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: **SERAPREP**

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Lab coat

· **Limitation and supervision of exposure into the environment:** None

* 9 Physical and Chemical Properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Liquid

· **Color:**

Colorless

· **Odor:**

Odorless

· **Odor threshold:**

Not determined.

· **Melting point/Melting range:**

Not determined.

· **Boiling point/Boiling range:**

≥100 °C (≥212 °F)

· **Flammability:**

Not applicable.

· **Explosion limits:**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

None

· **Auto igniting:**

Not applicable

· **Decomposition temperature:**

Not determined.

· **pH-value @ 20 °C (68 °F):**

1.04 (+/- 0.02)

· **Viscosity:**

· **Kinematic:**

Not determined.

· **Dynamic:**

Not determined.

· **Solubility in / Miscibility with:**

· **Water:**

Aqueous solution

· **Partition coefficient (n-octanol/water):**

Not determined.

· **Vapor pressure:**

Not determined.

· **Vapor pressure:**

· **Density:**

Not determined.

· **Relative density:**

Not determined.

· **Vapor density:**

Not determined.

· **Particle characteristics**

Not applicable.

· **Other information:**

· **Appearance:**

· **Form:**

Liquid

· **Important information on protection of health and environment, and on safety.**

· **Ignition temperature:**

Product is not self-igniting.

· **Danger of explosion:**

Product does not present an explosion hazard.

· **Solvent content:**

· **VOC content:**

0.00 %

· **Solids content:**

6.1 %

· **Change in condition**

· **Evaporation rate:**

Not determined.

(Contd. on page 6)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:**
Keep away from strong acids. Primary and secondary amines will cause non-hazardous contamination of this solution.
- **Hazardous decomposition products:** No dangerous decomposition products known.

* 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7447-41-8 Lithium Chloride

Oral	LD50	526 mg/kg (Rat)
------	------	-----------------

- **Primary irritant effect:**

- **On the skin:** Irritant to skin and mucous membranes.

- **On the eye:** Irritating effect.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- **Interactive effects** No interactive effects between components are known.

- **Carcinogenic categories:**

- **IARC (International Agency for Research on Cancer):**

None of the ingredients are listed.

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

- **Alternative sources for toxicological information**

No non-standard sources for toxicological information where used.

12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 7)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

- **Other adverse effects:**
- **Additional ecological information:**
- **General notes:**

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewer system.

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

13 Disposal Considerations

- **Waste treatment methods**

- **Recommendation:**

Do not allow product to reach sewage system.

This product may be mixed with a combustible solvent and burned in a chemical incinerator equipped with an afterburner and scrubber. This product can also be sent to an EPA approved waste disposal facility.

Observe all federal, state and local environmental regulations when disposing of this material.

- **Uncleaned packaging**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:**

- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

- **UN proper shipping name:**

- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material

- **Transport hazard class(es):**

- **DOT, ADR/ADN, ADN, IMDG, IATA**

- **Class:** Non-Regulated Material

- **Packing group:**

- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material

- **Environmental hazards:** Not applicable.

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.

- **Special precautions for user:** Not applicable.

- **UN "Model Regulation":** Non-Regulated Material

15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**

No further relevant information available.

- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

(Contd. on page 8)

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

· TSCA (Toxic Substances Control Act):		
7732-18-5	Water, distilled water, deionized water	ACTIVE
7447-41-8	Lithium Chloride	ACTIVE
1310-65-2	Lithium hydroxide	ACTIVE
· Hazardous Air Pollutants		
None of the ingredients are listed.		
· California Proposition 65:		
· Chemicals known to cause cancer:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause reproductive toxicity for males:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity:		
None of the ingredients are listed.		
· New Jersey Right-to-Know List:		
None of the ingredients are listed.		
· New Jersey Special Hazardous Substance List:		
None of the ingredients are listed.		
· Pennsylvania Right-to-Know List:		
None of the ingredients are listed.		
· Pennsylvania Special Hazardous Substance List:		
None of the ingredients are listed.		
· Carcinogenic categories:		
· EPA (Environmental Protection Agency):		
None of the ingredients are listed.		
· TLV (Threshold Limit Value established by ACGIH):		
None of the ingredients are listed.		
· NIOSH-Ca (National Institute for Occupational Safety and Health):		
None of the ingredients are listed.		

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



· Signal word: Warning

· Hazard-determining components of labeling:

5-Sulfosalicylic Acid

· Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Safety Data Sheet

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 05/08/2025

Revised on 05/08/2025

Trade Name: SERAPREP

· **Precautionary statements:**

- P264 Wash thoroughly after handling.
- P280 Wear protective gloves / eye protection / face protection.
- P302+P352 If on skin: Wash with plenty of water.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P337+P313 If eye irritation persists: Get medical advice/attention.

· **National regulations:**

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of previous version** 02/23/2021

· **Version number of previous version:** 8

· **Date of preparation** 05/08/2025

· **Abbreviations and acronyms:**

- ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety and Health
- OSHA: Occupational Safety & Health Administration
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Acute toxicity - oral 4: Acute toxicity – Category 4
- Skin irritation 2: Skin corrosion/irritation – Category 2
- Eye damage 1: Serious eye damage/eye irritation – Category 1
- Eye irritation 2A: Serious eye damage/eye irritation – Category 2A
- Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106